



**Testimony--EPA 11.30.2021**--Environmental Protection Agency's public hearing regarding the Oil and Natural Gas proposed rule addressing the climate crisis and improving people's health through a proposed rule that would lead to significant, cost-effective reductions in emissions of methane and other harmful pollutants from the oil and natural gas industry.

**Introduction:** I am Dr. Brita Lundberg, Chair of the Board at Greater Boston Physicians for Social Responsibility, testifying in support of the proposed EPA rule. GBPSR is a group of nationally-recognized experts in public health, cancer epidemiology, occupational medicine, environmental health, emergency medicine, disaster preparedness and the health effects of climate change.

I am a medical doctor, trained in infectious diseases. As Chair of the Board at Greater Boston Physicians for Social Responsibility, I have been active in raising awareness among the medical community and the public to the threats to human health posed by the air and water pollution from oil and gas development. I have advocated and co-authored several reports on the health risks to local communities here in Massachusetts who are faced with the many health hazards of new compressor stations and pipelines; I have given talks before local boards of health around the state, and I am a co-author on a peer-reviewed article, the [False Promise of Natural Gas](#), in the [New England Journal of Medicine](#) on the health and climate dangers of natural gas development.

**BACKGROUND** While many people are aware that natural gas extraction causes health problems due to air and water pollution where the drilling is done, many are not aware that this infrastructure is associated with human health at every stage of its life cycle.

The gas emitted at compressor stations or leaked in our streets or burned in our gas stoves or furnaces is a mixture of methane and hexane (a neurotoxin); but it is likely that many of the observed health outcomes are due to ***what travels with it***: things like benzene and formaldehyde, both known carcinogens; metals and radionuclides from the Earth's crust that can include (depending on the geographic region from which methane is extracted) lead, mercury and radioactive radon, uranium and thorium that are highly harmful to human health; and the criteria air pollutants produced in the burning of methane gas, like ground level ozone and particulate matter.

**LEAKAGE:** This massive infrastructure leaks---and that is a problem, because the US has more than 2.5 million miles of natural gas pipeline, more than any other country in

the world. It leaks because it is an ageing infrastructure and an infrequently monitored one: 50% of US pipelines are over 50 years old; only 7% of transmission lines are inspected.

According to a [recent study](#) in PNAS, methane emissions in Massachusetts are SIX times higher than state estimates. In Texas, this [study](#) showed that there was more benzene leaking from pipelines than at the well pad or drill rig. There are roughly 14,000 leaks in Massachusetts alone, which release billions of cubic feet of gas each year--worth millions of dollars.

But the health effects of this leakage are more costly still. Since this infrastructure leaks, these carcinogens and toxins leak not just into the soil but into our water systems and air--contaminating the food we eat, the air we breathe, and the water we drink.

**HEALTH CONSEQUENCES** What are the health consequences of these exposures? A wealth of peer-reviewed studies document the health hazards of natural gas infrastructure: asthma, COPD, childhood acute lymphocytic leukemia, miscarriage, congenital heart defects and increased premature birth. These are best defined at the drill rig, where more babies being born prematurely; more babies with heart defects, more kids with asthma; more children diagnosed with leukemia. But there are many others: increased pneumonia in those living near natural gas infrastructure; increased heart disease; increased thyroid and bladder cancer.

The increased PM2.5--whose increase in the last 3 years in this country is chiefly associated with natural gas development--has been associated with an excess death due to air pollution on the order of about 10,000 in 2018 alone; the mortality cost of those deaths to society, according to a study by the Cambridge think tank, the [National Bureau of Economic Research](#): an estimated 89 billion.

**EQUITY:** Natural gas wells, pipelines and compressor stations are sited disproportionately in low-income, minority communities where they provide little benefit, cause societal disruption, and lead to those populations bearing the brunt of the negative health impacts. Additionally, recent studies show an association between exposure to air pollution with increased mortality from COVID-19, which has affected communities of color disproportionately.

Like the lead that sickened hundreds of children who drank lead contaminated water in Flint Michigan, the health hazards due to natural gas infrastructure may not be apparent--methane leaks, unless you visualize them using an infrared lens, are invisible to the naked eye. So it is a stealth form of pollution--and a stealth killer.

**CLIMATE EFFECTS DUE TO THE EXPONENTIAL INCREASE IN METHANE DUE TO OIL AND GAS DEVELOPMENT** Few people realize how much methane levels have been rising globally. Methane levels have increased exponentially-- an astounding 250% since the pre-industrial age (Changes in atmospheric carbon dioxide, methane and nitrous oxide from 0 to 2005: IPCC Climate Change 2007: TS2.1.1 [ipcc.ch](#))--with the majority of that increase in the last 20 years, according to NBER, from natural gas development

and infrastructure. The fact that the leakage/flaring from the Bakken shale development can be seen from outer space --and lights up brighter than the city of Minneapolis -- offers visual evidence of this exponential growth.

## ADDRESSING AIR POLLUTION HAS IMMEDIATE HUMAN HEALTH BENEFITS

Unlike second hand smoke from tobacco, that from natural gas is inescapable.

But when gas emissions from any source—gas leaks from well pads, pipelines, compressor stations, power plants-- are reduced or avoided, we experience immediate health benefits right here in the US--with decreased strokes, asthma rates, heart attacks--as was seen in the first months of the COVID pandemic or during the Olympic games in Atlanta--because of lower levels of air pollution from fossil fuel combustion and leakage.

The negative health effects that result from methane leakage of a natural gas infrastructure that has ballooned during the past 20 years--and the epic climate events they unleash--continue to accumulate all around us. I commend the EPA for showing leadership on this issue. Failure to act has come at a steep cost to the health of the children and adults you heard testify tonight. GBPSR supports effective controls on methane leakage now. Thank you.

### Health and Environmental Hazards of Natural Gas.\*

#### Category Pathways and Mechanisms Established and Potential Health Hazards

#### Local hazards

Water contamination Ground and surface water at gas wells is contaminated with fracking chemicals. Many fracking chemicals are toxic: 25% are carcinogenic; 75% are dermal, ocular, respiratory, and gastrointestinal toxins; 40 to 50% have toxic nervous, immune, cardiovascular, and renal effects; 30 to 40% are endocrine disruptors

Air pollution	Heavy trucks, construction equipment, and drill rigs emit diesel exhaust, oxides of nitrogen, and particulates; sand piles release silica dust; gas venting and flaring produce volatile organic compounds (benzene, 1,3-butadiene, and formaldehyde).	Exacerbation of asthma and COPD; increased risk of cardiovascular disease and diabetes; increased risk of prematurity and low birth weight; volatile organic compounds increase risk for leukemia and lymphoma
---------------	--	--

Noise pollution Heavy equipment and gas flaring generate nearly continuous noise; sound levels can reach 70 A-weighted decibels, which exceeds EPA community guidelines.

Sleep disturbance; stress (associated with increased cardiovascular disease risk); cognitive deficits in children

Light pollution	High-intensity illumination and gas flaring generate bright light day and night	Sleep disturbance; stress
-----------------	---	---------------------------

Radionuclide releases Some shale formations contain naturally occurring Cancers, chiefly lung cancer radionuclides such as radon, principally in

Pennsylvania and Texas.

Earthquakes	Seismic activity is increased near fracking sites and up to 30 miles away.	Injuries; anxiety; loss of property value
-------------	--	---

Community disruption Poor and minority communities are disproportionately exposed to noise, toxic chemicals, and ex-

posed to noise, toxic chemicals, and ex-transmitted diseases

**Regional hazards**

Fires and explosions Pipeline explosions occur every year in the United States and recently occurred in Armada Township, MI; Refugio, TX; Salem, PA; Watford City, ND; and Merrimack Valley, MA.

Air pollution from gas combustion	Gas combustion in stoves, boilers, and furnaces generates oxides of nitrogen.	Increased asthma risk; exacerbation of COPD and cardiovascular disease
-----------------------------------	---	--

**Global hazards**

Contributions to climate change

Use of natural gas causes methane leakage and gas combustion generates carbon dioxide.

Heat waves; extreme weather events; droughts; floods; wildfires; expanded ranges of vectorborne diseases; compromised food supplies resulting in famine, migration, conflict, and mental distress

\* COPD denotes chronic obstructive pulmonary disease, and EPA Environmental Protection Agency. Sources of information are listed in the Supplementary Appendix, available at [NEJM.org](http://NEJM.org).

**References**--please see NEJM article [appendix](#) here; or references, below.

### **Air Pollution from Gas Combustion**

- Allen DT. Atmospheric emissions and air quality impacts from natural gas production and use. *Annual Review of Chemical And Biomolecular Engineering* 2014; 5:55-75. doi: 10.1146/annurev-chembioeng-060713-035938.
- Moore CW, Zielinska B, Petron G, Jackson RB. Air impacts of increased natural gas acquisition, processing, and use: A critical review. *Environ Sci Technol* 2014; 48:8349-8359. doi: 10.1021/es4053472

### **Contributions of Natural Gas Extraction and Use to Climate Change**

- Newell RG, Raimi D. Implications of shale gas development for climate change. *Environmental Science & Technology* 2014; 48:8360-8368. doi: 10.1021/es4046154.
- Reay DS, Smith P, Christensen TR, James RH, Clark H. Methane and global environmental change. *Annual Review of Environment and Resources* 2018; 43:165-192. <https://doi.org/10.1146/annurev-environ-102017-030154>
- Staddon PL, Depledge MH. Fracking cannot be reconciled with climate change mitigation policies. *Environmental Science & Technology* 2015; 49:8269-8270. DOI: 10.1021/acs.est.5b02441
- Rosenberg R, Lindsey NP, Fischer M, et al. Vital Signs: Trends in Reported Vectorborne Disease Cases — United States and Territories, 2004–2016. *MMWR Morb Mortal Wkly Rep* 2018;67:496–501. DOI: <http://dx.doi.org/10.15585/mmwr.mm6717e1>
- Alvarez RA, Zavala-Araiza D, Lyon DR et al. Assessment of methane emissions from the U.S. oil and gas supply chain *Science* 2018: 361, Issue 6398, 186-188. DOI: 10.1126/science.aar7204

**The Fossil Fuel Industry's Overstated Claim That Natural Gas Is a Clean, Non-Polluting Fuel:**

- Shell Global.

<https://www.shell.com/energy-and-innovation/natural-gas/providing-more-and-cleaner-energy.html>

- American Petroleum Institute.

<https://www.api.org/oil-and-natural-gas/energy-primers/climate-change-and-energy>

- Clean Energy.

<https://www.cleanenergyfuels.com/natural-gas-today/clean-energy-natural-gas/>

**Ground and Surface Water Contamination at Gas Wells (Fracking Sites):**

- Hill E, Ma L. Shale Gas Development and Drinking Water Quality. *Am Econ Rev.* 2017; 107(5):522-5

• Government Accounting Office. Oil and gas: Information on shale resources development, and environmental and public health risks. Washington DC, 2012.

<https://www.gao.gov/assets/650/647791.pdf>GAO-12-732

- Jackson RB, Vengosh A, Darrah T, et al. Increased stray gas abundance in a subset of drinking water wells near Marcellus

shale gas extraction. *PNAS* July 9, 2013 110 (28) 11250-11255;

<https://doi.org/10.1073/pnas.1221635110>

- Llewellyn GT, Dorman F, Yoxtheimer WD et al. Evaluating a groundwater supply contamination incident attributed to

Marcellus Shale gas development *PNAS* May 19, 2015 112 (20) 6325-6330;

<https://doi.org/10.1073/pnas.1420279112>

- Shores A, Laituri M. The state of produced water generation and risk for groundwater contamination in Weld County,

Colorado. *Environ Sci Pollut Res Int.* 2018 (30):30390-30400. doi:

10.1007/s11356-018-2810-8.

**Fracking and Endocrine Disruption**

- Kassotis CD, Tillitt DE, Lin CH, McElroy JA, Nagel SC. Endocrine-Disrupting Chemicals and Oil and Natural Gas Operations:

Potential Environmental Contamination and Recommendations to Assess Complex Environmental Mixtures. *Environ*

*Health Perspect* 2016 Mar; 124(3):256-64. doi: 10.1289/ehp.1409535.

- Kassotis CD, Nagel SC, Stapleton HM. Unconventional oil and gas chemicals and wastewater-impacted water samples promote adipogenesis via PPAR $\gamma$ -dependent and independent mechanisms in 3T3-L1 cells. *Sci Total Environ.* 2018 Nov 1; 640-641:1601-1610. doi: 10.1016/j.scitotenv.2018.05.030.

- Boule LA, Chapman TJ, Hillman SE, Kassotis CD, O'Dell C, Robert J, et al.. Developmental exposure to a mixture of 23 chemicals associated with unconventional oil and gas operations alters the immune system of mice. *Toxicological Sciences* 2018; 163:639-654. doi: 10.1093/toxsci/kfy066

2

- Drollette BD, Hoelzer K, Warner NR, Darrah TH, Karatum O, O'Connor MP, et al. Elevated levels of diesel range organic compounds in groundwater near marcellus gas operations are derived from surface activities. *PNAS* 2015; 112(43):13184-9. doi: 10.1073/pnas.1511474112.

- Elliott EG, Ettinger AS, Leaderer BP, Bracken MB, Deziel NC. A systematic evaluation of chemicals in hydraulic-fracturing fluids and wastewater for reproductive and developmental toxicity. *J Exposure Science & Environmental Epidemiology* 2017; 27:90-99. doi: 10.1038/jes.2015.81.

- Webb E, Bushkin-Bedient S, Cheng A, Kassotis Christopher D, Balise V, Nagel Susan C. Developmental and reproductive effects of chemicals associated with unconventional oil and natural gas operations. *Reviews on Environmental Health* 2014; 29: 29(4):307-18. doi: 10.1515/reveh-2014-0057

### **Fracking and Air Pollution**

- Government Accounting Office. Oil and gas: Information on shale resources development, and environmental and public health risks. GAO-12-732. Washington DC, 2012. <https://www.gao.gov/assets/650/647791.pdf>

- Russo PN, Carpenter DO. Air emissions from natural gas facilities in New York State. *International Journal of Environmental Research And Public Health* 2019; 16.

- Paulik LB, Hobbie KA, Rohlman D, Smith BW, Scott RP, Kincl L, Haynes EN, Anderson KA.

Environmental and individual PAH exposures near rural natural gas extraction. *Environ Pollut*. 2018 241:397-405. doi:

10.1016/j.envpol.2018.05.010

• Rasmussen SG, Ogburn EL, McCormack M, Casey JA et al. Asthma Exacerbations and Unconventional Natural Gas

Development in the Marcellus Shale. *JAMA Intern Med* . 2016 Sep 1; 176(9): 1334–1343.

• Hart JE, Eisen E and Laden F. Occupational diesel exhaust exposure as a risk factor for COPD. *Curr Opin Pulm Med*. 2012

Mar; 18(2): 151–154. doi: 10.1097/MCP.0b013e32834f0ea

• Casey JA, Savitz DA, Rasmussen SG, Ogburn EL et al. Unconventional natural gas development and birth outcomes in

Pennsylvania, USA. *Epidemiology*. 2016 Mar;27(2):163-172. doi: 10.1097/EDE.0000000000000387.

• Whitworth KW, Marshall AK, Symanski E. Maternal residential proximity to unconventional gas development and perinatal outcomes among a diverse urban population in Texas. *PLoS One*. 2017 Jul 21; 12 (7).

doi: 10.1371/journal.pone.0180966.

• McKenzie LM, Allshouse W, Daniels S. Congenital heart defects and intensity of oil and gas well site activities in early pregnancy. *Environ Int*. 2019 Nov; 132:104949. .doi: 10.1016/j.envint.2019.104949.

• McKenzie LM, Allshouse WB, Byers TE, Bedrick EJ, et al. Childhood hematologic cancer and residential proximity to oil

and gas development. *PLOS* 2017 <https://doi.org/10.1371/journal.pone.0170423>

3

### **Fracking and Noise Pollution**

• Hays J, McCawley M, Shonkoff SBC. Public health implications of environmental noise associated with unconventional oil

and gas development. *STOTEN* 2017; 580:448-456. doi: 10.1016/j.scitotenv.2016.11.118.

• Richburg CM, Slagley J. Noise concerns of residents living in close proximity to hydraulic fracturing sites in southwest

Pennsylvania. *Public Health Nurs* 2019; 36:3-10. doi: 10.1111/phn.12540.

### **Fracking and Light Pollution**

• McCawley M. Air, noise, and light monitoring results for assessing environmental impacts of horizontal gas well drilling



operations. Morgantown WV:West Virginia University, 2013.  
<https://dep.wv.gov/oil-and-gas/Horizontal-Permits/legislativestudies/Documents/WVU%20Final%20Air%20Noise%20Light%20Report.pdf>

### **Fracking and Radionuclide Releases**

- Abualfaraj N, Gurian PL, Olson MS. Assessing residential exposure risk from spills of flowback water from marcellus shale hydraulic fracturing activity. *IJERPH* 2018; 15. doi: 10.3390/ijerph15040727
- Torres L, Yadav OP, Khan E. Risk assessment of human exposure to Ra-226 in oil produced water from the Bakken Shale. *STOTEN* 2018; 626:867-874. doi: 10.1016/j.scitotenv.2018.01.171.

### **Fracking and Earthquakes**

- Clarke H, Eisner L, Styles P, Turner P. 2014. Felt seismicity associated with shale gas hydraulic fracturing: The first documented example in europe. *Geophysical Research Letters* 2014; 41:8308-8314. doi:10.1002/2014GL062047
- Walsh FR, Zoback. Oklahoma's recent earthquakes and saltwater disposal. *Science Advances* 2015; 18 (5). e1500195  
DOI: 10.1126/sciadv.1500195
- van der Baan M, Calixto FJ. Human-induced seismicity and large-scale hydrocarbon production in the USA and Canada. *Geochemistry, Geophysics, Geosystems* 2017; 18:2467-2485. doi: 10.1002/2017GC006915

### **Fracking and Community Disruption**

- Harduar Morano L, Steege AL, Luckhaupt SE. Occupational Patterns in Unintentional and Undetermined Drug-Involved and Opioid-Involved Overdose Deaths — United States, 2007–2012. *MMWR Morb Mortal Wkly Rep* 2018; 67:925–930.  
DOI: <http://dx.doi.org/10.15585/mmwr.mm6733a3>.
- Deziel NC Humeau Z, Elliott EG, Warren JL, Niccolai LM Shale gas activity and increased rates of sexually transmitted infections in Ohio, 2000–2016. *PLoS One*. 2018; 13(3): e0194203. doi: 10.1371/journal.pone.0194203.

4

- Beleche T, Cintina I. Fracking and risky behaviors: Evidence from Pennsylvania. *Econ Hum Biol* 2018; 31:69-82. doi:

10.1016/j.ehb.2018.08.001.

- Komarek T, Cseh A. Fracking and public health: Evidence from gonorrhoea incidence in the marcellus shale region. J Public Health Policy 2017; 38:464-481. doi: 10.1057/s41271-017-0089-5
- Kroepsch AC, Maniloff PT, Adgate JL, McKenzie LM, Dickinson KL. Environmental justice in unconventional oil and natural gas drilling and production: A critical review and research agenda. Environ Sci Technol 2019; 53:6601-6615. doi: 10.1021/acs.est.9b00209.

### **Gas Transmission, Fires and Explosions**

- Congressional Research Service. DOT's Federal Pipeline Safety Program: Background and Key Issues for Congress <https://fas.org/sgp/crs/misc/R44201.pdf>. Washington DC, 2019
- National Transportation Safety Board. Pipeline Accident Reports. <https://www.nts.gov/investigations/AccidentReports/Pages/pipeline.aspx>

### **Risk that Investments in Natural Gas Will Become Stranded Assets**

- Rocky Mountain Institute: <https://rmi.org/press-release/announced-investment-in-us-natural-gas-infrastructure-could-lead-to-over-100-billion-in-stranded-costs-as-clean-energy-prices-fall/>
- Grantham J. The Race of Our Lives Revisited. GMO White Papers. August 8, 2018. <https://www.gmo.com/americas/research-library/the-race-of-our-lives-revisited/>